Forest Ecology and Management

VOL. 84 NOS. 1–3 **CONTENTS** **AUGUST 1996**

(Abstracts/contents list published in Biological Abstracts, Biological & Agricultural Index, Current Advances in Ecological Science, Current Awareness in Biological Sciences, Current Contents AB & ES, Ecological Abstracts, Environment Abstracts, Environmental Bibliography, Forestry Abstracts, Geo Abstracts, GEOBASE, Referativnyi Zhurnal)

Development of mixed-oak forests in southeastern Ohio: a comparison of second-growth and old-growth forests
P.C. Goebel and D.M. Hix (Columbus, OH, USA) 1
Accuracy of the line intersect method of post-logging sampling under orientation bias
G. Bell, A. Kerr, D. McNickle and R. Woollons (Christchurch, New Zealand) 23
Forest ecosystem response to four years of chronic nitrate and sulfate additions at Bear Brooks Watershed, Maine, USA
A.H. Magill (Durham, NH, USA), M.R. Downs, K.J. Nadelhoffer (Woods Hole, MA, USA), R.A. Hallett and J.D. Aber (Durham, NH, USA) 29
Vegetative propagation of *Milicia excelsa* by leafy stem cuttings: effects of auxin concentration, leaf area and rooting medium
D.A. Ofori (Kumasi, Ghana), A.C. Newton, R.R.B. Leakey (Penicuik, UK) and J. Grace (Edinburgh, UK) 39
A crown ratio model for Austrian forests
H. Hasenauer (Vienna, Austria) and R.A. Monserud (Moscow, ID, USA) 49
Regeneration of canopy tree species at five sites in West African moist forest
L. Poorter, F. Bongers, R.S.A.R. van Rompaey and M. de Klerk (Wageningen, Netherlands) 61
Abundance and growth of rattans in Khao Chong National Park, Thailand
A. Bøgh (Risskov, Denmark) 71
Forest floor carbon pools and fluxes along a regional climate gradient in Maine, USA
J.A. Simmons, I.J. Fernandez, R.D. Briggs (Orono, ME, USA) and M.T. Delaney (Bray, Ireland) 81
Effects of drainage, tilling and PK-fertilization on bulk density, total N, P, K, Ca and Fe and net N-mineralization in two peatland forestry sites in Newfoundland, Canada
E.D. Wells (St. John's, Canada) and B.L. Williams (Aberdeen, UK) 97
Nitrogen saturation in a high elevation New England spruce–fir stand
S.G. McNulty (Otto, NC, USA), J.D. Aber and S.D. Newman (Durham, NH, USA) 109
Base cation fertilization and liming effects on nutrition and growth of Vermont sugar maple stands
T.R. Wilmot (Underhill Center, VT, USA), D.S. Ellsworth (Upton, NY, USA) and M.T. Tyree (Burlington, VT, USA) 123
Effects of different forest harvest intensities on the pools of exchangeable cations in coniferous forest soils
B.A. Olsson, J. Bengtsson and H. Lundkvist (Uppsala, Sweden) 135
Vitality and bark beetle resistance of fertilized Norway spruce
M. Kytö, P. Niemelä and E. Annila (Vantaa, Finland) 149
Soil physical and hydrological properties following logging and slash burning in the *Eucalyptus regnans* forest of southeastern Australia
M.A. Rab (Frankston, Vic., Australia) 159
Prediction models for estimating total heights of trees from diameter at breast height measurements in Nepal's lower temperate broad-leaved forests
D.B. Khatry Chhetri and G.W. Fowler (Ann Arbor, MI, USA) 177
Influence of light conditions in canopy gaps on forest regeneration: a new gap light index and its application in a boreal forest in east-central Sweden
X. Dai (Uppsala, Sweden) 187

(Contents continued on p. 268)

The tables of contents of Forest Ecology and Management are included in ESTOC — Elsevier Science Tables of Contents Service — which can be addressed on the World Wide Web at the following URL addresses:

http://www.elsevier.nl/locate/estoc
http://www//elsevier.com/locate/estoc

0378-1127(199608)84:1-3;1-X

(Contents continued)

Root system characteristics with agroforestry relevance of nine leguminous tree species and a spontaneous fallow in a semi-deciduous rainforest area of West Africa
G. Schroth, D. Kolbe (Bayreuth, Germany), B. Pity (Abidjan, Côte d'Ivoire) and W. Zech (Bayreuth, Germany) 199
Alternative measures of stem growth efficiency applied to *Abies balsamea* from four canopy positions in central Maine, USA
D.W. Gilmore (Grande Prairie, Alta., Canada) and R.S. Seymour (Orono, ME, USA) 209
Seasonal water relations of three broadleaved species (*Fagus sylvatica* L., *Quercus petraea* (Mattuschka) Liebl. and *Quercus pyrenaica* Willd.) in a mixed stand in the centre of the Iberian Peninsula
I. Aranda, L. Gil and J. Pardos (Madrid, Spain) 219
Patterns of herbivory by the ash bud moth *Prays fraxinella*: implications for the silviculture of ash in Europe
A. Foggo (Oxford, UK) 231
Effect of provenance variation and singling and pruning on early growth of *Acacia mangium* Willd. plantation on *Imperata cylindrica* (L.) Beauv. dominated grassland
K. Tuomela, A. Otsamo, J. Kuusipalo (Banjarbaru, Indonesia), R. Vuokko (Imatra, Finland) and G. Nikles (Indooroopilly, Qld., Australia) 241
Classification of spruce beetle hazard in Lutz and Sitka spruce stands on the Kenai Peninsula, Alaska
K.M. Reynolds (Corvallis, OR, USA) and E.H. Holsten (Anchorage, AK, USA) 251

Short communication

Deforestation and regrowth phenology in miombo woodland – assessed by Landsat Multispectral Scanner System data
E. Prins (Copenhagen, Denmark) and I.S. Kikula (Dar es Salaam, Tanzania) 263